UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/574,915	04/07/2006	Shoji Yuyama	2006_0541A	8780
	7590 12/10/201 , LIND & PONACK, I	EXAMINER		
1030 15th Street, N.W., Suite 400 East Washington, DC 20005-1503			KHUU, HIEN DIEU THI	
			ART UNIT	PAPER NUMBER
			2857	
			NOTIFICATION DATE	DELIVERY MODE
			12/10/2010	ELECTRONIC

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

ddalecki@wenderoth.com eoa@wenderoth.com

	Application No.	Applicant(s)				
Office Action Summany	10/574,915	YUYAMA ET AL.				
Office Action Summary	Examiner	Art Unit				
	CINDY HIEN-DIEU KHUU	2857				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on						
	/ <del></del>					
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
closed in accordance with the practice under Ex pane Quayle, 1935 C.D. 11, 455 C.G. 215.						
Disposition of Claims						
4)⊠ Claim(s) <u>8-14</u> is/are pending in the application	Claim(s) 8-14 is/are pending in the application.					
4a) Of the above claim(s) is/are withdra	4a) Of the above claim(s) is/are withdrawn from consideration.					
5)⊠ Claim(s) <u>8-14</u> is/are allowed.						
6) Claim(s) is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/o	or election requirement.					
	•					
Application Papers						
9)⊠ The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>07 April 2006</u> is/are: a)⊡ accepted or b)⊠ objected to by the Examiner.						
Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage</li> </ul>						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) ☐ Interview Summary Paper No(s)/Mail Da					
<ol> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO/SB/08)</li> <li>Paper No(s)/Mail Date 6/1/09,5/16/08,11/6/07,7/13/06.</li> </ol>	5) Notice of Informal Page 1997.					

Art Unit: 2857

#### **QUAYLE ACTION**

This application is in condition for allowance except for the following formal matters:

- The abstract of the disclosure does not state of the technical disclosure, it exceeds
   150 words in length, and it is not in a single paragraph.
- 2. Figures 34, 38 and 39 contain a typographical error "Flg." instead of -- Fig. --
- 3. Figure 29 contains low quality font.
- 4. Figures 2A-B does not correlate with discloser. Specification only disclose of Figure 2.

Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

#### Pertinent Art Cited

The following US Patent Applications reveal the current state of the art:

Omura et al. (US 2001/0008984) teaches of a drug dispensing apparatus (fig.2) comprising a cassette (cassette 20) for containing drugs in an aligned state (drug 1, fig.1), a pushing unit (22) for pushing said drugs toward said rotor (fig.2), and a measuring unit (41 and 42) for measuring the present quantity of said drugs in said cassette (par.0091). Omura further teaches of sensing dispensing and receiving position by on and off switches of measuring unit (par.0094) and incrementing or decrementing count value stored in table (table 46) to accurately reflects the number of medicine contained in the cassette (20; par.0096).

Art Unit: 2857

However, Omura does not teach at least of a rotor disposed at one open end of said cassette, a drive mechanism for pivoting said rotor alternately between a dispensing position and a receiving position by operating a drive switch to dispense said drugs one by one, and wherein when said rotor is returned to the receiving position from the dispensing position, the present quantity N measured by the measuring unit is compared with the stock quantity  $N_0$  stored in said memory unit, wherein if the present quantity N is less than the stock quantity  $N_0$ , the present quantity N is stored in said memory unit as a stock quantity  $N_0$ , while if the present quantity N is same as the stock quantity  $N_0$ , it is informed that said drug has been forgotten to take out.

### Allowable Subject Matter

Claims 8-14 are allowed.

The following is a statement of reasons for the indication of allowable subject matter:

The primary reason for the allowance of claim 1 is the inclusion of the limitation "wherein when said rotor is returned to the receiving position from the dispensing position, the present quantity N measured by the measuring unit is compared with the stock quantity  $N_0$  stored in said memory unit, wherein if the present quantity N is less than the stock quantity  $N_0$ , the present quantity N is stored in said memory unit as a stock quantity  $N_0$ , while if the present quantity N is same as the stock quantity  $N_0$ , it is informed that said drug has been forgotten to take out". The prior art of record, taken alone or in combination, fails to disclose or render obvious.

Claims 9-14 are allowed due to their dependency on claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2857

## Fax/Telephone Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cindy D. Khuu whose telephone number is (571) 272-8585. The examiner can normally be reached on M-F, 8:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Schechter can be reached on (571) 272-2302. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/CINDY HIEN-DIEU KHUU/ Primary Examiner, Art Unit 2857 12/06/2010